



April 29, 2016

Dept. of Environmental Quality Tidewater Regional Office Attn: Mr. Carl D Thomas 5636 Southern Boulevard Virginia Beach, VA 23462

SUBJECT: Permit Application (VA0089168)

Mr. Thomas.

Attached to this letter is the permit application for the reissuance of VA0089168. Lyon Shipyard has had much success over the last five years under it current permit by the continuous reduction in Total Suspended Solids. The reduction is primarily due to the application of Best Management Practices (BMPs).

Collection of 100 percent of process water on the dry-dock (outfall 001) has occurred within the current permit cycle. The collection has taken away the need for treatment devices to discharge to surface waters. The current process is that process water is collected at the bow of the vessel via drainage to holding tanks. Once in the tanks, a pump with an automatic float switch pumps the process water via pipes into a (2) 10,000 gallon tanks located on shore. The tanks are then emptied by a contractor and hauled off site for disposal. It is Lyon Shipyard's intent to continue this process in the reissuance of the permit. Lyon Shipyard respectfully requests a waiver for sampling.

Considerations in the permit application consist of the following:

- 1. For outfalls 003 defined as a pressure relief discharge in the current permit are on the forms 2E. We respectfully request a waiver for no sampling. The device used is for fire suppression and testing purposes only. The source of water is drawn from the receiving stream with no chemical additions.
- 2. I request that 002 storm water sampling be excluded from the new permit.

a. Outfall 002 is a concrete collection basin that discharges into the receiving stream after filtration from straw bails. Collecting a sample post straw bails before discharging into receiving stream is not practical due to the setup of quay wall and structures. A representative sample is thus unattainable.

In conclusion, Lyon Shipyard will continue to search technological advances and improvements in BMPS for a better environment.

Daniel N. Terry

Asst. Environmental Manager

Office: (757) 622-4661 ext. 472


Cell: (757) 323-2599

>><(((">


Form	Annroyed	OMB No	2040-0086

FORM		U.S. ENVIRO					10.000.00000	I. EPA I.D. NUMBER			
1	ŞEPA				IFORMA [*] Permits Prog	777 00001 66440					T/A C
GENERAL		(Read the "General Instructions" before starting.)						1 2 13 14 15			
	ELITEMS	\/AD099166442						GENERAL INSTRU	provide	S d, affix	it in the
I. EPAI.D	NUMBER	VAD988166443						designated space. Review the inform is incorrect, cross through it and en	ter the	correct	data in the
III. FACILITY NAME LYON SHIPYARD - SEALIFT								appropriate fill-in area below. Also, if is absent (the area to the left of information that should appear), plea	the lab	oel spac vide it in	ce lists the
V. FACILITY MAILING PO BOX 2180 NORFOLK, VA 23501 fill-in area(s) below. If the I need not complete terms I,							fill-in area(s) below. If the label is oneed not complete Items I, III, V, a must be completed regardless). Cor	nd VI	(except	VI-B which	
	307 CAMPOSTELLA RD NORFOLK, VA 23523 has been provided. Refer to the instru							truction	s for de	etailed item	
	T CHARACTERIST	cs						data is collected.	Mary.	4 54	
INSTRUCTIO submit this fo you answer "r	NS: Complete A thr rm and the supplem no" to each question	ough J to determine whethe ental form listed in the pare	nthesis these	s follo forms bold-	wing the que s. You may faced terms	es an	tion. Mark "X" in the box in t	ne EPA. If you answer "yes" to ar the third column if the supplemer excluded from permit requirement	ntal for	m is a Sectio	ttached. If n C of the
	SPECIFIC QUE	STIDUS	YES	Mari NO	FORM	1	SPECIFIC	QUESTIONS	YES	Mark NO	FORM ATTACHED
	ity a publicly owne	d treatment works which s of the U.S.? (FORM 2A)		X	ATTACHED	В	B. Does or will this facility include a concentrated aquatic animal production	(either existing or proposed) animal feeding operation or ion facility which results in a		×	
C la thia a fa	silik	results in discharges to	16	17	18	Ļ	discharge to waters of th	te U.S.? (FORM 2B) (other than those described in A	19	20	21
	the U.S. other than	y results in discharges to those described in A or B	22	23	24			sult in a discharge to waters of	25	26	27
		eat, store, or dispose of			24	F		ect at this facility industrial or	25		27
hazardous	wastes? (FORM 3))		X				ow the lowermost stratum puarter mile of the well bore, rinking water? (FORM 4)		X	
or other f	luids which are b	facility any produced water rought to the surface in	28	29	30	Н	I. Do you or will you inject processes such as mining	at this facility fluids for special of sulfur by the Frasch process,	31	32	33
inject fluids	used for enhanced	il or natural gas production, d recovery of oil or natural le of liquid hydrocarbons?		X			solution mining of minera fuel, or recovery of geothe	als, in situ combustion of fossil rmal energy? (FORM 4)		X	
(FORM 4)			34	35	36	L	· · · · · · · · · · · · · · · · · · ·		37	38	39
of the 28 in which will	dustrial categories li potentially emit 100	onary source which is one sted in the instructions and tons per year of any air lean Air Act and may affect		×		J	NOT one of the 28 ind instructions and which wi	d stationary source which is ustrial categories listed in the ill potentially emit 250 tons per egulated under the Clean Air Act		\times	
	ed in an attainment a		40	41	42			cated in an attainment area?	43	44	45
	FACILITY 										
		rd-Sealift						ч			
15 16 - 29 30	CONTACT			(S) (S)					69	Wales o	
TV. TAGILITI	CONTINUE	A. NAME & TITLE (last,	first, c	& title)				B. PHONE (area code & no.)			
2	s Beacham			1 1				(757) 622-4661			
N. FACILTY M	AILING ADDRESS	STATE TOWNS					45 4	16 48 49 51 52- 1	55		
c		A. STREET OR P.	О. ВО	Х				40		5	50
3 PÓ BO	2186	*		,			45	RECEIV	ED	- U	Eu
		B. CITY OR TOWN					C. STATE	D. ZIP CODE		201	6
4 Norfo	lk			1 1	1 1 1	-	VA 23	D. ZIP CODE APR	29	20	·-nal
VI. FACILITY	LOCATION						40 41 42 47		ater	Por	ional
5 307 Ca	A.STRE ampostella	ET, ROUTE NO. OR OTHE 	R SPE	CIFIC	DENTIFIE	ER			Off	ice	/
15 16		B. COUNTY	NAMI	E		_	45				-
NA 46				Т	I			70			
		C. CITY OR TOWN				_	D. STATE	E. ZIP CODE F. COUNTY C	ODE (if knowi	n)
C	4		1	1	1 1 1	1	1 1 1 7 7 7 1 0 0	4-4-1 1 4-3	ı I		

CONTINUED FROM THE FRONT	
VII. SIC CODES (4-digit, in order of priority)	D CECOND
A. FIRST C (specify) Shipbuilding and Repair	B. SECOND (specify)Shipbuilding and Repair
7 3731	7 3732
15 16 - 19 C. THIRD	15 16 - 19 D. FOURTH
c (specify)Marine Railways and drydocking vessels	c (specify)
7 4499	
VIII. OPERATOR INFORMATION	15 16 - 19
A. NAME	B. Is the name listed in Item
8 Lyon Shipyard	VIII-A also the owner? ☐ YES ☑ NO
15 16	55 66
C. STATUS OF OPERATOR (Enter the appropriate letter into the	e answer box: if "Other," specify.) D. PHONE (area code & no.)
F = FEDERAL (3	pecify)
S = STATE S = STATE O = OTHER (specify) P	A (757) 622-4661
P = PRIVATE	15 6 - 18 19 - 21 22 - 26
E, STREET OR P.O. BOX	
PO Box 2180	
26 CITY OF TOWAL	G, STATE H, ZIP CODE IX, INDIAN LAND
F. CITY OR TOWN	G. STATE H. ZIP CODE IX. INDIAN LAND I I I I I I I I I
B Norfolk	VA 23501
15 16	40 41 42 47 - 51 52
X. EXISTING ENVIRONMENTAL PERMITS	
	missions from Proposed Sources)
c T	
9 N VA0089168 9 P 710-00	30
B. UIC (Underground Injection of Fluids)	E. OTHER (specify)
C T I C T I	(specify)
9 U 9	
15 16 17 18 30 15 16 17 18 C. RCRA (Hazardous Wastes)	© E. OTHER (specify)
	(specify)
9 R VAD988166443	
15 16 17 18 30 15 16 17 18	30
₹KI. MAP	
	e mile beyond property boundaries. The map must show the outline of the facility, the of its hazardous waste treatment, storage, or disposal facilities, and each well where it
injects fluids underground. Include all springs, rivers, and other surface water bodies	
XII. NATURE OF BUSINESS (provide a brief description)	
Facility is a shipbuilding and repair facility located	on the eastern branch of the Elizabeth River. Vessels
serviced include but not limited to: tugboats, various	
Ship repair involves various operations such as abrasiv	e blasting with goal utility glag waterblasting
waterwashing, and painting applications to marine structure	
purpose of removing vessels from the water.	
Welding burning and grinding operations are performed	with the purpose of repairing damaged steel structures on
marine vessels and structures. Repair of vessel machine	ry, propulsion and electrical systems are part of the
repair capabilities. A website is available at www.lyon	shipyard.com for additional information.
×	
XIII. CERTIFICATION (see instructions)	
	the information submitted in this application and all attachments and that, based on my
	ained in the application, I believe that the information is true, accurate, and complete. I
am aware that there are significant penalties for submitting false information, include	
A. NAME & OFFICIAL TITLE (type or print) B. SIGNATURI	C. DATE SIGNED
Dan Torry	21/
Assist Environmental Manager /el	04/29/16
COMMENTS FOR OFFICIAL USE ONLY	The second of th







FORM

2F

NPDES

U.S. Environmental Protection Agency Washington, DC 20460

Application for Permit to Discharge Storm Water Discharges Associated with Industrial Activity

Paperwork Reduction Act Notice

Public reporting burden for this application is estimated to average 28.6 hours per application, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate, any other aspect of this collection of information, or suggestions for improving this form, including suggestions which may increase or reduce this burden to: Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 1200 Pennsylvania Avenue, NW, Washington, DC 20460, or Director, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

I. Outfall Location								
For each outfall, list the	e latitude ar	nd longitude of	its location to	the nearest 1	l5 seconds ai	nd the name	e of the receiving water.	
A. Outfall Number (list)		B. Latitude		C	. Longitude		D. Receiving Water (<i>nam</i> e)	
901	36.00	50.00	17.91	-76.00	15.00	54.90	Eastern Branch of Elizabeth River	
002	36.00	50.00	17.13	-76.00	15.00	54.58	Eastern Branch of Elizabeth River	
		1 1						
						0		
			0					
II. Improvements								

A. Are you now required by any Federal, State, or local authority to meet any implementation schedule for the construction, upgrading or operation of wastewater treatment equipment or practices or any other environmental programs which may affect the discharges described in this application? This includes, but is not limited to, permit conditions, administrative or enforcement orders, enforcement compliance schedule letters, stipulations, court orders, and grant or loan conditions.

Identification of Conditions,		2. Affected Outfalls		4. Final Compliance Date		
Agreements, Etc.	number source of discharge		Brief Description of Project	a. req.	b. proj.	
None						
4 7 3						
· · · · · · · · · · · · · · · · · · ·						
· ·						

B: You may attach additional sheets describing any additional water pollution (or other environmental projects which may affect your discharges) you now have under way or which you plan. Indicate whether each program is now under way or planned, and indicate your actual or planned schedules for construction.

III. Site Drainage Map

Attach a site map showing topography (or indicating the outline of drainage areas served by the outfalls(s) covered in the application if a topographic map is unavailable) depicting the facility including: each of its intake and discharge structures; the drainage area of each storm water outfall; paved areas and buildings within the drainage area of each storm water outfall, each known past or present areas used for outdoor storage of disposal of significant materials, each existing structural control measure to reduce pollutants in storm water runoff, materials loading and access areas, areas where pesticides, herbicides, soil conditioners and fertilizers are applied; each of its hazardous waste treatment, storage or disposal units (including each area not required to have a RCRA permit which is used for accumulating hazardous waste under 40 CFR 262.34); each well where fluids from the facility are injected underground; springs, and other surface water bodies which received storm water discharges from the facility.

	d by the outfall.				
Outfall Number	Area of Impervious Surface (provide units)	Total Area Drained (provide units)	Outfall Number	Area of Impervious Surface (provide units)	Total Area Drained (provide units)
1	Approx. 31,875 sqft Approx. 150 sqft	Ap 31,875 sqft Ap 18,000 sqft	3		
to storm applie ipyard ritime zardeon	m water; method of treatment, storage water runoff; materials loading and acc d. spent abrasives materials ar paints minimal amount of paints waste. Paint dans are empti	or disposal; past and pre ess areas, and the location re stored in bins on the stored on site and hauled to app	property for to allow for broved sites.	e years have been treated, stored or disposed anagement practices employed to minimize equency in which pesticides, herbicides, soil hauling to approved sites as neer application. Paint waste is drum disposed inside warehouse(s) prior to join to provide the provided in	contact by these materials v conditioners, and fertilizers ded. med and disposed of a
desci	iption of the treatment the storm water	receives, including the sch	ictural and nonstredule and type of	ructural control measures to reduce pollutar r maintenance for control and treatment mea	nts in storm water runoff; and sures and the ultimate dispo
Outfall	y solid or fluid wastes other than by disc				List Codes from
Number	BMPs are required by existing		reatment	a condition as the permit	Table 2F-1
Nonet	Discharges				
A. I cert	ormwater Discharges fy under penalty of law hat the outfall(sommwater discharged from these outfall	e) covered by this application	on have been tes n accompanying f	ted or evaluated for the presence of nonstor Form 2C or From 2E application for the outfa	rmwater discharges, and tha
A. I cert nons	fy under penalty of law hat the outfall(s ormwater discharged from these outfall	e) covered by this application (s) are identified in either and Signature	on have been tes n accompanying F	Form 2C or From 2E application for the outfa	mwater discharges, and tha ll. Date Signed
A. I cert nons ime and	fy under penalty of law hat the outfall(s ormwater discharged from these outfall Official Title (<i>type or print</i>)	(s) are identified in either and ignature	n accompanying F	Form 2C or From 2E application for the outfa	II. Date Signed
A. I cert nons	fy under penalty of law hat the outfall(s ormwater discharged from these outfall Official Title (<i>type or print</i>)	(s) are identified in either and ignature	n accompanying F	Form 2C or From 2E application for the outfa	II. Date Signed
A. I cert nons	fy under penalty of law hat the outfall(s ormwater discharged from these outfall Official Title (<i>type or print</i>)	(s) are identified in either and ignature	n accompanying F	Form 2C or From 2E application for the outfa	II. Date Signed
A. I cert nons ame and B. Provi	fy under penalty of law hat the outfall(sormwater discharged from these outfall) Official Title (type or print) de a description of the method used, the	(s) are identified in either and ignature	n accompanying f	Form 2C or From 2E application for the outfa	II. Date Signed test.
A. I cert nons ame and B. Provi	fy under penalty of law hat the outfall(sormwater discharged from these outfall) Official Title (type or print) de a description of the method used, the	(s) are identified in either and ignature e date of any testing, and the large cory of significant leaks or	n accompanying for acco	e points that were directly observed during a to	II. Date Signed test.
A. I cert nons ame and B. Provi	fy under penalty of law hat the outfall(sormwater discharged from these outfall) Official Title (type or print) de a description of the method used, the	(s) are identified in either and ignature e date of any testing, and the large cory of significant leaks or	n accompanying for acco	e points that were directly observed during a to	II. Date Signed test.
A. I cert nons ame and B. Provi	fy under penalty of law hat the outfall(sormwater discharged from these outfall) Official Title (type or print) de a description of the method used, the	(s) are identified in either and ignature e date of any testing, and the large cory of significant leaks or	n accompanying for acco	e points that were directly observed during a to	II. Date Signed test.
A. I cert nons ame and B. Provi	fy under penalty of law hat the outfall(sormwater discharged from these outfall) Official Title (type or print) de a description of the method used, the	(s) are identified in either and ignature e date of any testing, and the large cory of significant leaks or	n accompanying for acco	e points that were directly observed during a to	II. Date Signed test.
A. I cert nons ame and B. Provi	fy under penalty of law hat the outfall(sormwater discharged from these outfall) Official Title (type or print) de a description of the method used, the	(s) are identified in either and ignature e date of any testing, and the large cory of significant leaks or	n accompanying for acco	e points that were directly observed during a to	II. Date Signed test.
A. I cert nons ame and B. Provide approximations are approximations.	fy under penalty of law hat the outfall(sormwater discharged from these outfall) Official Title (type or print) de a description of the method used, the	(s) are identified in either and ignature e date of any testing, and the large cory of significant leaks or	n accompanying for acco	e points that were directly observed during a to	II. Date Signed test.
A. I cert nons ame and B. Provide approximations are approximations.	fy under penalty of law hat the outfall(sormwater discharged from these outfall) Official Title (type or print) de a description of the method used, the	(s) are identified in either and ignature e date of any testing, and the large cory of significant leaks or	n accompanying for acco	e points that were directly observed during a to	II. Date Signed test.
A. I cert nons: ame and B. Provi	fy under penalty of law hat the outfall(sormwater discharged from these outfall) Official Title (type or print) de a description of the method used, the	(s) are identified in either and ignature e date of any testing, and the large cory of significant leaks or	n accompanying for acco	e points that were directly observed during a to	II. Date Signed test.
A. I cert nons ame and B. Provi	fy under penalty of law hat the outfall(sormwater discharged from these outfall) Official Title (type or print) de a description of the method used, the	(s) are identified in either and ignature e date of any testing, and the large cory of significant leaks or	n accompanying for acco	e points that were directly observed during a to	II. Date Signed test.

Continued	from Page
VII. Dischar	ge Informa
A, B, C, & D:	See instructi
	Toble \/II A

Continued from Page 2	VAD988166443		
VII. Discharge Information			以其限型的区域运行,通过的国际
	oceeding. Complete one set of tables for each outfall. e included on separate sheets numbers VII-1 and VII-		space provided.
E. Potential discharges not covered by a currently use or manufacture as an inter-	analysis – is any toxic pollutant listed in table 2F-2, ermediate or final product or byproduct?	2F-3, or 2F-4, a substance or a	component of a substance which you
Yes (list all such pollutants b	pelow)	No (go to Section IX)	
Total Cu Total Zn		,	
VIII. Biological Toxicity Testing D	A STATE OF THE PROPERTY OF THE		
Do you have any knowledge or reason to l relation to your discharge within the last 3	believe that any biological test for acute or chronic to years?	xicity has been made on any of you	ur discharges or on a receiving water in
Yes (list all such pollutants be	elow)	No (go to Section IX)	
Yes, under current permit require are utilized.	ments acute toxicity test is performed	for outfalls 901, 902, and	1 903. Both shrimp and minnows
N I			
	•		
*			
1.8			
	w		
IX. Contract Analysis Information	1		
Were any of the analyses reported in Item	VII performed by a contract laboratory or consulting f	irm?	
✓ Yes (list the name, address, analyzed by, each such	and telephone number of, and pollutants laboratory or firm below) T	No (go to Section X)	D. Ballistanta Analyzad
A. Name	B. Address	C. Area Code & Phone No.	D. Pollutants Analyzed
Universal Laboratories	220 Research Drive Hampton, VA 23666	757-865-0880	TSS, TPH, Toxicity, Dissolved Cu and Zn.
	,		
	*		
V 0 (15 1)		Discontinue de la constantina della constantina	
X. Certification			And the property of the second
that qualified personnel properly gather an directly responsible for gathering the infor	ument and all attachments were prepared under my id evaluate the information submitted. Based on my in mation, the information submitted is, to the best of g false information, including the possibility of fine an	nquiry of the person or persons wh my knowledge and belief, true, ac	o manage the system or those persons curate, and complete. I am aware that
A. Name & Official Title (Type Or Print)		B. Area Code and Phone No.	
Dan Terry Asst. Environme.	ntal Manager	757-323-2599	
C Signature	77.0	D. Date Signed	
1/ Vn7/.		04/29/16	
100		, - :	

EPA Form 3510-2F (1-92)

VII. Discharge information (Continued from page 3 of Form 2F)

Part A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

		um Values ude units)		erage Values clude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
@il and Grease	<5.0 mg/L	N/A			1.00	
Biological Oxygen Demand (BOD5)	38.0 mg/L				1.00	
Chemical Oxygen Demand (COD)	510.6 mg/L				1.00	
Total Suspended Solids (TSS)	And the second s	*	81.55		21.00	
Total Nitrogen	4.53 mg/L				1.00	
Total Phosphorus	0.18 mg/L				1.00	
рН	Minimum	Maximum	Minimum 6.30	Maximum 7.70	21.00	

Part B – List each pollutant that is limited in an effluent guideline which the facility is subject to or any pollutant listed in the facility's NPDES permit for its process wastewater (if the facility is operating under an existing NPDES permit). Complete one table for each outfall. See the instructions for additional details and requirements.

	ements. Maximu (includ	m Values de units)	Aver (inc	age Values lude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Dissolved Cu			404.05 ug/L		21.00	
Dissolved Zn			1616.43 ug/		21.00	
A						
9						
				4		
1						
, , , , , , , , , , , , , , , , , , ,						
į.						
	2.3					
	1 .3					
1:						
R _a	7					×
1 a						
		300 1 300 1				
1	×					
* 1						
1						
	7					
	2 2					
L.	5 19.					
11	* 141 *					
13	e e			-		
1 to						
()						
A						
12	2 ,	N				

VII. Discharge information (Continued from page 3 of Form 2F)

Part A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

and the state of t		num Values ude units)		erage Values oclude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	<5.0 mg/L	N/A			1.00	
Biological Oxygen Demand (BOD5)	14 mg/L			-	1.00	
Chemical Oxygen Demand (COD)	206.8 mg/L	in the second se			1.00	
Total Suspended Solids (TSS)	S. C.		879.48		10.00	
Total Nitrogen	3.04 mg/L				1.00	
Total Phosphorus	0.7 mg/L				1.00	
pH Hq	Minimum	Maximum	Minimum 6.90	Maximum 7.60	10.00	

Part B – List each pollutant that is limited in an effluent guideline which the facility is subject to or any pollutant listed in the facility's NPDES permit for its process wastewater (if the facility is operating under an existing NPDES permit). Complete one table for each outfall. See the instructions for additional details and requirements.

·	Maximu (inclu	um Values de units)	Aver (inc	age Values lude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Dissolved Cu			183.01 ug/L		10.00	
Dissolved Zn			265.70 ug/		10.00	
1						
. P						
				· · · · · · · · · · · · · · · · · · ·		
						3.70
			1		1	


					1	
			1	3-0-1-0-1-0-1	-	
1	1				+	
1		·			-	
			 		 	
			 		+	
	9 9		+		+	
			+	9	+	
			+		+	
			+			
			+			
			+		1	
1			+ -			
1					+	
3 III						

Sample Analysis for form 2F Permit App

			10	9	∞	7	6	5	4	3	2	1		
Min	Max	Average	4/12/2016	1/15/2016	11/19/2015	5/21/2015	7/24/2014	2/12/2014	10/7/2013	2/8/2013	9/18/2012	5/9/2012	Date	
			002	002	002	002	002	002	002	002	002	002	Outfall	
63	604	183.01	171	183	178	604	162	63	93.1	65	182	129	Cu (ppb)	
41	1030	265.7	66	156	160	1030	203	425	357	174	41	45	ZN(ppb)	Jerese ~
5.2	4960	879.48	382	55	93.6	317	33	40	4960	5.2	1001	1908	TSS (ppm)	
6.9	8.4	7.6	7.8	7.8	7.8	6.9	7.8	7.6	8.4	7.2	7.2	7.3	pН	-
2	25.2	17.7	16.1	10.2	16.6	19.8	25.2	2	23.7		25.2	20.5	temp	
<0.5	5.5	###		0.7	<0.5	5.5	<0.5	<0.5	0.8	<0.5	0.7	0.6	TPH DRO	
<0.5	<0.5	<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	\triangle	<0.5	<0.5	TPH GRO NN TKN TN	
0.16	0.16	0.16	0.16										Z	TT
2.88	2.88	2.88	2.88										TKN	TT
3.04	3.04	3.04	3.04										Z	
0.7	0.7	0.7	0.7										TP	
0.16 2.88 3.04 0.7 206.8	0.16 2.88 3.04 0.7 206.8	0.16 2.88 3.04 0.7 206.8	0.16 2.88 3.04 0.7 206.8										COD	
14	14	14	14										COD BOD5 O&G	
\$	\$	\$	\$										O&G	

Sample Analysis for form 2F Permit App

ς>	38	9.012	81.0	£2.4	£2.4	1.0>	<i>δ.</i> 0>	ε.0>	4.2	€.9	SI	96	-07		niM	s Miner Plans
ς>	38	5.012	81.0	£2.4	£2.4	1.0>	ε.0>	ς	6.22	T.T	182	<i>LL</i> 98	† 1 091		XgM	200
ς>	38	5.012	81.0	£2.4	£2.4	1.0>	###	###	9.7 I	2. <i>T</i>	619742.18	1616.43	840,404		Average	
ς>	38	9.018	81.0	£2.4	£2.4	1.0>	<i>δ.</i> 0>	ς	15.3	€.9	2.18	<i>LL</i> 98	†09I	106	4/15/5016	17
							<i>ε.</i> 0>	6°I	4.6	8.8	89	3399	111	106	1/12/5016	70
				190			ε.0>	ε.0>	17.2	4.7	8.82	385	407	106	\$107/61/11	61
							<i>ε.</i> 0>	ε.0>	25.3	<i>2.7</i>	72	907	\$8	106	8/31/5012	18
. 1				-			<i>ε.</i> 0>	5.2	6.61	ζ.9	2.86	7390	119	106	2/51/5012	LI
							<i>ξ.</i> 0>	<i>L</i> .0	7	L	130	3320	148	106	2/22/2015	91
							<i>ξ.</i> 0>	9.0	4.42	6.9	78	452	740	106	10/12/5014	SI
							ε.0>	£2.0	8.42	8.8	85	917	901	106	7/24/2014	ÞΙ
							ε.0>	2.2	8.81	4.7	55	ELLI	≯ 08	106	4/7/2014	EI
							ε.0>	2. 0	4.2	L.T	108	279	06	106	2/12/2014	15
	15						ε.0>	<i>ε.</i> 0>	91	I.7	SI	I <i>L</i> t	173	106	11/7/2013	II
				2			ε.0>	2.2	1.42	E.T	177	418	746	106	8/1/2013	10
							ε.0>	1.2	24.9	6.9	6 <i>L</i>	9141	007	106	6/3/2013	6
							[>	ε.0>	£.9I	T.T	Lt	830	197	106	2/7/2013	8
							ε.0>	<i>T.</i> 0	6.61	I.T	0\$	6S†I	SLS	106	10/56/2012	L
							<i>ε.</i> 0>	I	6.22	6.9	53	233	7 <i>L</i>	106	7107/81/6	9
							ε.0>	E.I	2.02	4.7	120	1401	326	106	2/9/2012	ς
							ε.0>	ε.0>	8.01	T.T	£43	96	07	106	3/3/5015	\forall
							<i>ε.</i> 0>	ς·0>	7.91	4.7	09	1370	015	106	1107/\$1/6	3
я.	_						<i>ε.</i> 0>	6.0	6.81	9. <i>T</i>	182	9 <i>L</i> ††	893	106	1107/87/7	7
	4						<i>ε.</i> 0>	2. 0	1.21	I.T	ILI	554	139	106	1/56/2011	I
D&G	BOD2	COD	ЧT	NT	LKN	NN	TPH GRO	TPH DRO	qmət	Hd	(mqq) 2ST	(qdd)NZ	Cu (ppb)	IlsttuO	Date	



Process water (collection)

Stormwater

Stormwater infiltration





Universal Laboratories 20 Research Drive Hampton, VA 23666

Phone: 1-800-695-2162

Fax: 757-865-8014

Client Report For:

Lyon Shipyard Inc.

Attention:

Mr. Dan Terry

Client Address:

P.O. Box 2180

Norfolk, VA 23501

Project:

VPDES Permit App Sealift Drydock OF-901

Order Number:

1603033

Report Date:

04/19/2016

Lab Receipt Date:

04/12/2016

Comment:

This report contains the analytical results for the indicated Project and Order. The results contained in this report relate only to the samples identified in this Order. The analytical results meet all requirements of NELAC unless specifically stated. This

report shall not be reproduced except in full.

The data in this report has been reviewed and validated by:

Signature

Report Type: Original

Client: Lyon Shipyard Inc.

Lab ID: 1603033-001

Permit ID VA0089168

Client Sample ID: OF-901 Grab

Collection Date: 04/12/2016 11:09

Matrix: AQUEOUS

Analyses

Biochemical	Oxygen	Demand

(BOD) 5 Day

SM 5210 B (2011)

	Test Result	Unit	RL	Analysis Date	Analysis By	Qualifier	Cert #
Holding Time Met	Yes	Yes/No		04/13/2016 16:05	LP		
Sample Receipt Temperature	1	С		04/13/2016 16:05	LP		
Biochemical Oxygen Demand	38	mg/L	2	04/13/2016 16:05	LP		460036

Chemical Oxygen Demand

HACH 8000

	Test Result	<u>Unit</u>	RL	Analysis Date	Analysis By	Qualifier	Cert #
Sample Preservation pH	0	pH Units		04/14/2016 12:03	LP		
Holding Time Met	Yes	Yes/No		04/14/2016 12:03	LP		
Sample Receipt Temperature	1	С		04/14/2016 12:03	LP		
Chemical Oxygen Demand	510.6	mg/L	20	04/14/2016 12:03	LP		460036

Oil and Grease

EPA 1664A

	Test Result	Unit	RL	Analysis Date	Analysis By	Qualifier	Cert #
Sample Preservation pH	:1	pH Units		04/14/2016 13:40	EK		
Holding Time Met	Yes	Yes/No		04/14/2016 13:40	EK		
Sample Receipt Temperature	1	С		04/14/2016 13:40	EK		
Oil and Grease	ND	mg/L	5	04/14/2016 13:40	EK		460036

Nitrogen, Total

EPA 351.2/ EPA 353.2

	Test Result	<u>Unit</u>	RL	Analysis Date	Analysis By	Qualifier	Cert #
Sample Preservation pH	0	pH Units		04/14/2016 12:50	EK		
Holding Time Met	Yes	Yes/No		04/14/2016 12:50	EK		
Sample Receipt Temperature	1	С		04/14/2016 12:50	EK		
Nitrate/Nitrite as N	ND	rng/L	0,1	04/14/2016 12:50	EK		460036
Nitrogen, Total Kjeldahl	4.53	mg/L	0.2	04/14/2016 12:50	EK		460036
Nitrogen, Total	4.53	ma/L	0.2	04/14/2016 12:50	EK		

Phosphorus, Total

EPA 365.1

						34	
	Test Result	<u>Unit</u>	RL	Analysis Date	Analysis By	Qualifier	Cert #
Sample Preservation pH	0	pH Units		04/14/2016 22:02	EK	The second secon	
Holding Time Met	Yes	Yes/No		04/14/2016 22:02	EK	And the second	
Sample Receipt Temperature	1	С		04/14/2016 22:02	EK		
Phosphorus, Total	0.18	ma/L	0.02	04/14/2016 22:02	EK		460036

Glossary of Terms and Abbreviations

ND	No Analyte Detected
NR	No Results available, analyte not in instrument calibration
RL	(Reporting Limit) The minimum levels, concentrations, or quantities of a target analyte that can be reported within a specified degree of confidence. Generally, this number is equal to or just above the lowest calibration standard run with the analytical batc
В	Analyte was found in the method blank
D	RPD outside acceptable limits
Н	Holding time exceeded
IS	Internal standard outside acceptable limits
J	Result above calibration curve - results are approximate
L	LCS Outside acceptable limits
MI	Matrix interence
MS	Matrix spike recovery outside acceptable limits
QC	Method QC criteria not met
S	Surrogate outside acceptable limits
V	ICV/CCV/FCV outside acceptable limits
LCS	(Laboratory Control Sample) A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	Method Detection Limitis is an estimate of the minimum amount of a substance that an analytical process can reliably detect
RPD	(Relative Percent Difference) The difference between a set of duplicates or sample spike duplicates.
MS/MSD	(Matrix Spike or Matrix Spike Duplicate) A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analytes concentration is available. Matrix Spikes are used, for example, to determine the effect of the matrix on a method's recovery efficiency.
Calibration Verfication	(Initial, Continuing, or Final) A standard analyzed at different times to verify that the initial calibration curve is still valid.
Holding Time	The maximum time that samples may be held prior to analysis and still be considered valid or not compromised.
Internal Standard	A known amount of standard added to a test portion of a sample as a reference for evaluating and controlling the precision and bias of the applied analytical method.
Method Blank	A sample of a matrix similar to the batch associated samples (when available) that is free from the analytes of interest and is processed simulataneously with and under the same conditions as samples.
Surrogate	A substance with properties that mimic the analyte of interest. It is unlikely to be found in environmental samples and is added to them for quality control purposes in Organics.
EPL	Exceeds Permit Limit. This is a qualifier to denote that the result exceeds the permit limit of the sample location.
Exceeds Benchmark Concentration	Result Exceeds Benchmark concentration listed in the General Permit. Benchmark Concentrations are primarily used to determine the overall effectivenss of the Stormwater pollution prevention plan. Excedence of Benchamrk concentrations does NOT constitute a violation of this permit and does NOT indicate that violation of a water quality standard has occured.

		The state of the s	

CHAIN OF CUSTODY

Sample Date/Tilme/Initials

FPH = 4.30 15.3°C @ HIS

1164/ DNT

south yard ID: 1603033

BottleID

001A

Sample

Container

1/HDPE

Preservation Testing

<6°C

Hampton, VA 23666 1-800-695-2162

20 Research Drive

http://www.universallaboratories.net

BOD, COD, TSG, OGT, TN, T.PHOS, METALSDICE, FILTER.

Norfolk, VA, 23501 Contact:Dan Terry,757-622-4661,DTERRY@LYONSHIPYARD.COM

Sample Name

UL_Sample

ID

1603033-001

Matrix

AQUEOUS 411214

Lyon Shipyard Inc.

P.O. Box 2180

OF-901 Grab

Relinquished by

VPDES Permit App Sealift Drydock OF-901

1 of 1 Page

			FPH = 6.30 15.	25 60 413			Kamanaka da	TRANS	using art .
		AQUEOUS			001B	2/HDPE	<6°C		ייף פיילט
		AQUEOUS			001C	1/HDPE	H2SO4/<6°C & }		
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AQUEOUS		9000	00185	500/Polysterene/ dissolved	HNO3/<6°C		
		AQUEOUS			001E	1/Glass	H2SO4/<6°C		
		AQUEOUS	Dentification and Dept.		001F	1/Glass	H2SO4/<6°C		
		AQUEOUS	The state of the s		001G	1/Glass	H2SO4/<6°C		
Phenol int check	CN int check	BOD int check	DATE/TIME	TRANSFER	R SIG	SNATURE /			DATE/TIME
Relinquished by	The Ont		410 kg 1400	Received b	y L	ato lan	bull		4-12-16 1400
Relinquished by	What his	rell	4-12-16 1515	Received b					
Relinquished by		0,		Received b	v				

Received by





Universal Laboratories 20 Research Drive Hampton, VA 23666

Phone: 1-800-695-2162

Fax:

757-865-8014

Client Report For:

Lyon Shipyard Inc.

Attention:

Mr. Dan Terry

Client Address:

P.O. Box 2180

Norfolk, VA 23501

Project:

VPDES Quarterly OF-901 Sealift Drydock

Order Number:

1603259

Report Date:

04/19/2016

Lab Receipt Date:

04/12/2016

Comment:

This report contains the analytical results for the indicated Project and Order. The results contained in this report relate only to the samples identified in this Order. The analytical results meet all requirements of NELAC unless specifically stated. This

report shall not be reproduced except in full.

The data in this report has been reviewed and validated by:

Signature

Name

Pres / Tel Ductor Title

Client: Lyon Shipyard Inc.

Lab ID: 1603259-001

Permit ID VA0089168

Client Sample ID: OF-901 Grab

Collection Date: 04/12/2016 11:09

Matrix: AQUEOUS

Analyses

Solids, Total Suspended	SM 2540D (2011)						
	Test Result	Unit	RL	Analysis Date	Analysis By	Qualifier	Cert #
Holding Time Met	Yes	Yes/No		04/14/2016 11:41	LP		
Sample Receipt Temperature	1	С		04/14/2016 11:41	LP		
Solids, Total Suspended	81.2	mg/L	1	04/14/2016 11:41	LP		460036
pH (Client Provided)	SM 4500-H B (201	1)					
	Test Result	<u>Unit</u>	RL	Analysis Date	Analysis By	Qualifier	Cert #
p }-t	6.3	pH Units	0.1	04/12/2016 11:15	Client		
Temperature	15.3	С		04/12/2016 11:15	Client		
Gasoline Range Organics AQ	EPA 8260B						
	Test Result	Unit	RL	Analysis Date	Analysis By	Qualifier	Cert #
Sufficient Sample Volume	Yes	Yes/No		4/15/2016 0:17	LS		
Sample Preservation pH	0	pH Units		4/15/2016 0:17	LS		
Holding Time Met	Yes	Yes/No		4/15/2016 0:17	LS		
Sample Receipt Temperature	1	С		4/15/2016 0:17	LS		
Gasoline Range Organics	ND	mg/L	0.5	4/15/2016 0:17	LS		460036
surrogate 1,2-Dichloroethane-d4 (% Recovery)	68	%	69.5- 130.5	4/15/2016 0.17	LS	S	,
surrogate 4- Bromofluorobenzene (% Recovery)	88	%	69.5- 130.5	4/15/2016 0.17	LS		
surrogate Dibromofluoromethane (% Recovery)		%	69.5- 130.5	4/15/2016 0:17	LS		
surrogate Toluene-d8 (% Recovery)	. 104	%	69.5- 130.5	4/15/2016 0:17	LS		
Metals Dissolved by ICP	EPA 200.7						
	Test Result	<u>Unit</u>	RL	Analysis Date	Analysis By	Qualifier	Cert #
Sample Preservation pH	0	pH Units		04/13/2016 14:07	LS	1 11	
Holding Time Met	Yes	Yes/No		04/13/2016 14:07	LS	1	
Copper, Dissolved	16.042	mg/L	0.005	04/13/2016 14:07	LS		460036
Zinc, Dissolved	8.677	mg/L	0.005	04/13/2016 14:07	LS	100	460036
Diesel Range Organics AQ	EPA 8015B				e constitución de la constitució		
	Test Result	<u>Unit</u>	RL	Analysis Date	Analysis By	Qualifier	Cert #
Sample Preservation pH	0	pH Units		15 Apr 2016 11:42 pm	AS		
Holding Time Met	Yes	Yes/No		15 Apr 2016 11:42 pm	AS		
Sample Receipt Temperature	1	С		15 Apr 2016 11:42 pm	AS		
Diesel Range Organics	5.0	mg/L	0.5	15 Apr 2016 11:42	AS		460036

Client: Lyon Shipyard Inc.

Lab ID: 1603259-001

Permit ID VA0089168

Client Sample ID: OF-901 Grab

Collection Date: 04/12/2016 11:09

Matrix: AQUEOUS

Analyses

Diesel	Range	Organics.	AO	EPA	8015B

	Test Result	Unit	RL	Analysis Date	Analysis By	Qualifier	Cert #
surrogate o-Terphenyl (% Recovery)	81	%	28.6- 144.4	15 Apr 2016 11:42 pm	AS		

Glossary of Terms and Abbreviations

ND	No Analyte Detected
NR	No Results available, analyte not in instrument calibration
RL	(Reporting Limit) The minimum levels, concentrations, or quantities of a target analyte that can be reported within a specified degree of confidence. Generally, this number is equal to or just above the lowest calibration standard run with the analytical batch
В	Analyte was found in the method blank
D	RPD outside acceptable límits
Н	Holding time exceeded
IS	Internal standard outside acceptable limits
J	Result above calibration curve - results are approximate
L	LCS Outside acceptable limits
MI	Matrix interence
MS	Matrix spike recovery outside acceptable limits
QC	Method QC criteria not met
S	Surrogate outside acceptable limits
V	ICV/CCV/FCV outside acceptable limits
LCS	(Laboratory Control Sample) A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	Method Detection Limitis is an estimate of the minimum amount of a substance that an analytical process can reliably detect
RPD	(Relative Percent Difference) The difference between a set of duplicates or sample spike duplicates.
MS/MSD	(Matrix Spike or Matrix Spike Duplicate) A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analytes concentration is available. Matrix Spikes are used, for example, to determine the effect of the matrix on a method's recovery efficiency.
Calibration Verfication	(Initial, Continuing, or Final) A standard analyzed at different times to verify that the initial calibration curve is still valid.
Holding Time	The maximum time that samples may be held prior to analysis and still be considered valid or not compromised.
Internal Standard	A known amount of standard added to a test portion of a sample as a reference for evaluating and controlling the precision and bias of the applied analytical method.
Method Blank	A sample of a matrix similar to the batch associated samples (when available) that is free from the analytes of interest and is processed simulatanously with and under the same conditions as samples.
Surrogate	A substance with properties that mimic the analyte of interest. It is unlikely to be found in environmental samples and is added to them for quality control purposes in Organics.
EPL	Exceeds Permit Limit. This is a qualifier to denote that the result exceeds the permit limit of the sample location.
	Result Exceeds Benchmark concentration listed in the General Permit. Benchmark Concentrations are primarily used to

CHAIN OF CUSTODY

ID: 1603259

20 Research Drive

Hampton, VA 23666

1-800-695-2162

http://www.universallaboratories.net

Contact:Dan Terry,757-622-4661,DTERRY@LYONSHIPYARD.COM

Lyon Shipyard Inc.

P.O. Box 2180

Norfolk, VA, 23501

VPDES Quarterly OF-901 Sealift Drydock

Page 1 of 1

Sample Name	UL_Sample ID	Matrix	Sample Date/Time/Initials	BottleID	Sample Container	Preservation	Testing
AQUEOL AQUEOL AQUEOL		4/12/16 1100 DO	001A	1/Glass		TSS, CPH, GRO, FILTER, TRANS, METALSDISS, DRO	
		FPH= 63@15.3°C@ NIS	001B	1/Glass	H2SO4/<6°C KK		
		AQUEOUS	Filtered dosite @ 115	001C	2/HDPE	<6°C	
	AQUEOUS	200 (199)	3 3	500/Polysterene/ dissolved	HNO3/<6*C 人よ	**************************************	
		AQUEOUS		001E	40/Glass	HCI/<6°C	
	AQUEOUS	Application of the second	001F	40/Glass	HCI/<6°C		
		AQUEOUS		001G		HCI/<6°C	

NOTES: Ph 3 4.0	CoolerTempC				
TRANSFER	SIGNATURE	DATE/TIME	TRANSFER	SIGNATURE	DATE/TIME
Relinquished by	1 led n7. ~	041416 - 1400	Received by	Kato Kimberle	4-12-16 1400
Relinquished by	Kata Kind has W	412-16 1515	Received by	10-01-01-01-0	19216 1901
Relinquished by			Received by		
Relinquished by		· Books	Received by		



Universal Laboratories 20 Research Drive Hampton, VA 23666

Phone: 1-800-695-2162

Fax:

757-865-8014

Client Report For:

Lyon Shipyard Inc.

Attention:

Mr. Dan Terry

Client Address:

P.O. Box 2180

Norfolk, VA 23501

Project:

VPDES Permit App Sealift Drydock OF-002

Order Number:

1603034

Report Date:

04/19/2016

Lab Receipt Date:

04/12/2016

Comment:

This report contains the analytical results for the indicated Project and Order. The results contained in this report relate only to the samples identified in this Order. The analytical results meet all requirements of NELAC unless specifically stated. This

report shall not be reproduced except in full.

The data in this report has been reviewed and validated by:

Signature

Carol K Zero
Carol K Zero
Pres/Tech Dreeter

Client: Lyon Shipyard Inc.

Lab ID: 1603034-001

Permit ID VA0089168

Client Sample ID: OF-002 Grab

Collection Date: 04/12/2016 11:19

Matrix: AQUEOUS

Analyses

Biochemical	Oxygen	Demand

(BOD) 5 Day

SM 5210 B (2011)

	Test Result	Unit	RL	<u>Analysis Date</u>	<u>Analysis By</u>	Qualifier	Cert #
Holding Time Met	Yes	Yes/No		04/13/2016 16 05	LP		
Sample Receipt Temperature	1	С		04/13/2016 16 05	LP		
Biochemical Oxygen Demand	14	mg/L	2	04/13/2016 16:05	LP		460036

Chemical Oxygen Demand HACH 8000

	Test Result	Unit	RL	Analysis Date	Analysis By	Qualifier	Cert #
Sample Preservation pH	0	pH Units		04/14/2016 12 03	LP		
Holding Time Met	Yes	Yes/No		04/14/2016 12:03	LP		
Sample Receipt Temperature	1	Ç		04/14/2016 12 03	LP		
Chemical Oxygen Demand	206.8	mg/L	20	04/14/2016 12 03	LP		460036

Solids, Total Suspended SM 2540D (2011)

	lest Result	Unix	<u>RL</u>	Analysis Date	<u>Analysis By</u>	<u>Qualifier</u>	Cert #
Holding Time Met	Yes	Yes/No		04/14/2016 11:41	LP		
Sample Receipt Temperature	1	С		04/14/2016 11:41	`LP		
Solids, Total Suspended	382	ma/L	1	04/14/2016 11:41	LP		460036

Oil and Grease EPA 1664A

	Test Result	<u>Unit</u>	RL	Analysis Date	Analysis By	Qualifier	Cert #
Sample Preservation pH	1	pH Units		04/14/2016 13:40	EK		
Holding Time Met	Yes	Yes/No		04/14/2016 13:40	EK		
Sample Receipt Temperature	1	С		04/14/2016 13:40	EK		
Oil and Grease	ND	mg/L	5	04/14/2016 13:40	EK		460036

Nitrogen, Total EPA 351.2/ EPA 353.2

	Test Result	<u>Unit</u>	RL	Analysis Date	Analysis By	Qualifier	Cert #
Sample Preservation pH	0	pH Units		04/14/2016 12:50	EK		
Holding Time Met	Yes	Yes/No		04/14/2016 12:50	EK		
Sample Receipt Temperature	1	C		04/14/2016 12:50	ĒΚ		
Nitrate/Nitrite as N	0.16	mg/L	0.1	04/14/2016 12:50	ĒΚ		460036
Nitrogen, Total Kjeldahl	2.88	mg/L	0.2	04/14/2016 12:50	EK		460036
Nitrogen, Total	3.04	mg/L	0.2	04/14/2016 12:50	EK		

Phosphorus, Total EPA 365.1

	Test Result	<u>Unit</u>	RL	Analysis Date	Analysis By	Qualifier	Cert #	
Sample Preservation pH	0	pH Units		04/14/2016 22:02	EK			
Holding Time Met	Yes	Yes/No		04/14/2016 22:02	EK			
Sample Receipt Temperature	1	С		04/14/2016 22:02	EK			
Phosphorus, Total	0.70	mg/L	0.02	04/14/2016 22:02	EK		460036	

Client: Lyon Shipyard Inc.

Lab ID: 1603034-001

Permit ID VA0089168

Client Sample ID: OF-002 Grab

Collection Date: 04/12/2016 11:19

Matrix: AQUEOUS

Analyses

Metals Dissolved by ICP EPA 200.7

	Test Result	Unit	RL	Analysis Date	Analysis By	Qualifier	Cert #
Sample Preservation pH	0	pH Units		04/13/2016 14:07	LS		
Holding Time Met	Yes	Yes/No		04/13/2016 14:07	LS		
Copper, Dissolved	0.171	mg/L	0.005	04/13/2016 14:07	LS		460036
Zinc, Dissolved	0.066	mg/L	0.005	04/13/2016 14:07	LS		460036

Glossary of Terms and Abbreviations

	No Analyte Detected	
NR	No Results available, analyte not in instrument calibration	is to
RL	(Reporting Limit) The minimum levels, concentrations, or quantities of a targe degree of confidence. Generally, this number is equal to or just above the low	at analyte that can be reported within a specified est calibration standard run with the analytical batch
B	Analyle was found in the method blank	W 199
D	RPD outside acceptable limits	51 1 1 1
H	Holding time exceeded	
IS	Internal standard outside acceptable limits	
J	Result above calibration curve - results are approximate	
L	LCS Outside acceptable limits	
MI	Matrix interence	
MS	Matrix spike recovery outside acceptable limits	
QC	Method QC criteria not met	AV & SI
S	Surrogate outside acceptable limits	1
······································	ICV/CCV/FCV outside acceptable limits	
LCS	(Laboratory Control Sample) A sample matrix, free from the analytes of intere or a material containing known and verified amounts of analytes.	st, spiked with verified known amounts of analytes
MDL		
	or a material containing known and verified amounts of analytes. Method Detection Limitis is an estimate of the minimum amount of a substance.	ce that an analytical process can
MDL	or a material containing known and verified amounts of analytes. Method Detection Limitis is an estimate of the minimum amount of a substant reliably detect	ce that an analytical process can ample spike duplicates. In mass of target analyte to a specified amount of tion is available. Matrix Spikes are used, for
MDL RPD	or a material containing known and verified amounts of analytes. Method Detection Limitis is an estimate of the minimum amount of a substance reliably detect (Relative Percent Difference) The difference between a set of duplicates or set (Matrix Spike or Matrix Spike Duplicate) A sample prepared by adding a known matrix sample for which an independent estimate of target analytes concentrated.	ce that an analytical process can ample spike duplicates. In mass of target analyte to a specified amount of tion is available. Matrix Spikes are used, for cy.
MDL RPD MS/MSD Calibration	or a material containing known and verified amounts of analytes. Method Detection Limitis is an estimate of the minimum amount of a substant reliably detect (Relative Percent Difference) The difference between a set of duplicates or set (Matrix Spike or Matrix Spike Duplicate) A sample prepared by adding a known matrix sample for which an independent estimate of target analytes concentrate example, to determine the effect of the matrix on a method's recovery efficient	ce that an analytical process can ample spike duplicates. In mass of target analyte to a specified amount of tion is available. Matrix Spikes are used, for cy. at the initial calibration curve is still valid.
MDL RPD MS/MSD Calibration Verfication	or a material containing known and verified amounts of analytes. Method Detection Limitis is an estimate of the minimum amount of a substant reliably detect (Relative Percent Difference) The difference between a set of duplicates or so (Matrix Spike or Matrix Spike Duplicate) A sample prepared by adding a known matrix sample for which an independent estimate of target analytes concentrate example, to determine the effect of the matrix on a method's recovery efficient (Initial, Continuing, or Final) A standard analyzed at different times to verify the	ce that an analytical process can ample spike duplicates. In mass of target analyte to a specified amount of tion is available. Matrix Spikes are used, for cy. at the initial calibration curve is still valid.
MDL RPD MS/MSD Calibration Verfication Holding Time	or a material containing known and verified amounts of analytes. Method Detection Limitis is an estimate of the minimum amount of a substance reliably detect (Relative Percent Difference) The difference between a set of duplicates or set (Matrix Spike or Matrix Spike Duplicate) A sample prepared by adding a known matrix sample for which an independent estimate of target analytes concentrate example, to determine the effect of the matrix on a method's recovery efficient (Initial, Continuing, or Final) A standard analyzed at different times to verify the The maximum time that samples may be held prior to analysis and still be cortained.	ample spike duplicates. In mass of target analyte to a specified amount of tion is available. Matrix Spikes are used, for cy. at the initial calibration curve is still valid. Insidered valid or not compromised. The for evaluating and controlling the precision and
MDL RPD MS/MSD Calibration Verfication Holding Time	or a material containing known and verified amounts of analytes. Method Detection Limitis is an estimate of the minimum amount of a substance reliably detect (Relative Percent Difference) The difference between a set of duplicates or set. (Matrix Spike or Matrix Spike Duplicate) A sample prepared by adding a known matrix sample for which an independent estimate of target analytes concentrate example, to determine the effect of the matrix on a method's recovery efficient (Initial, Continuing, or Final) A standard analyzed at different times to verify the The maximum time that samples may be held prior to analysis and still be conducted analytical method. A sample of a matrix similar to the batch associated samples (when available)	ce that an analytical process can ample spike duplicates. In mass of target analyte to a specified amount of tion is available. Matrix Spikes are used, for cy. at the initial calibration curve is still valid. Insidered valid or not compromised. The for evaluating and controlling the precision and that is free from the analytes of interest and is
MDL RPD MS/MSD Calibration Verfication Holding Time Internal Standard Method Blank	or a material containing known and verified amounts of analytes. Method Detection Limitis is an estimate of the minimum amount of a substance reliably detect (Relative Percent Difference) The difference between a set of duplicates or set. (Matrix Spike or Matrix Spike Duplicate) A sample prepared by adding a known matrix sample for which an independent estimate of target analytes concentrate example, to determine the effect of the matrix on a method's recovery efficient (Initial, Continuing, or Final) A standard analyzed at different times to verify the The maximum time that samples may be held prior to analysis and still be conducted to a less portion of a sample as a reference bias of the applied analytical method. A sample of a matrix similar to the batch associated samples (when available processed simulatanously with and under the same conditions as samples.) A substance with properties that mimic the analyte of interest. It is unlikely to	ample spike duplicates. In mass of target analyte to a specified amount of tion is available. Matrix Spikes are used, for cy. at the initial calibration curve is still valid. Insidered valid or not compromised. The for evaluating and controlling the precision and that is free from the analytes of interest and is the found in environmental samples and is added to

CHAIN OF CUSTODY

ID: 1603034

20 Research Drive

Hampton, VA 23666 1-800-695-2162

http://www.universallaboratories.net

Contact:Dan Terry,757-622-4661,DTERRY@LYONSHIPYARD.COM

Lyon Shipyard Inc.

P.O. Box 2180


Norfolk, VA, 23501

VPDES Permit App Sealift Drydock OF-002

Page 1 of 1

Sample Name	UL_Sample ID	Matrix	Sample	Date/Time/Initials	BottleID	Sample Container	Preservation	Testing
OF-002 Grab	1603034-001	AQUEOUS	-1,1.2.10	1119/200	001A	1/HDPE	<6°C	BOD, COD, TSS, OGT, TN, T.PHOS, METALSDISS, FILTER, TRANS
		AQUEOUS	Filmed an	sin @ 1123	001B	2/HDPE	<6°C	
		AQUEOUS			001C	1/HDPE	H2SO4/<6°C KK	
		AQUEOUS	0.000		001D	500/Polysterene/ dissolved	HNO3/<6°C	2000 2000 4
		AQUEOUS			001E	1/Glass	H2SO4/<6°C	
		AQUEOUS			001F	1/Glass	H2SO4/<6°C	
		AQUEOUS			001G	1/Glass	H2SO4/<6°C	and the state of t

NOTES: Plas 4.	0-4.0.7.0-7.0, 10.0 → 10.e — CN Int check BOD int che	7.6 ⇒ 7.1 ® 26 eck NH3 i	nt check_			CoolerTemp / (
TRANSFER	SIGNATURE	DATE/TIN	ИE	TRANSFER	SIGŅATURE ,	DATE/TIME
Relinquished by	heil Man	4/12/16	1400	Received by	Kats Kinhell	4-12-16 140
Relinquished by	That Kon One A	4-12-16	1515	Received by	1	
Relinquished by	73334			Received by		
Relinquished by				Received by		



VAD988166443

Form Approved.
OMB No. 2040-0086.
Approval expires 3-31-98.

Please print or type in the unshaded areas only.

2C SEPA

U.S. ENVIRONMENTAL PROTECTION AGENCY
APPLICATION FOR PERMIT TO DISCHARGE WASTEWATER

EXISTING MANUFACTURING, COMMERCIAL, MINING AND SILVICULTURE OPERATIONS

Consolidated Permits Program

I. OUTFA	LL LOCATION								
For each	outfall, list the	latitude and	ongitude of its	s location to t	he nearest 15	seconds and	d the name of	the receiving	water.
A. OUTF	ALL NUMBER		B. LATITUDE		С	. LONGITUD	E		
	(list)	1. DEG.	2. MIN.	3. SEC.	1. DEG.	2. MIN.	3. SEC.		D. RECEIVING WATER (name)
001		36.00	50.00	17.00	76.00	15.00	54.00	Eastern	Branch of Elizabeth River
	14.								4
	of City	The second secon						70	
	100 C 100 C								
		100							

II. FLOWS, SOURCES OF POLLUTION, AND TREATMENT TECHNOLOGIES

- A. Attach a line drawing showing the water flow through the facility. Indicate sources of intake water, operations contributing wastewater to the effluent, and treatment units labeled to correspond to the more detailed descriptions in Item B. Construct a water balance on the line drawing by showing average flows between intakes, operations, treatment units, and outfalls. If a water balance cannot be determined (e.g., for certain mining activities), provide a pictorial description of the nature and amount of any sources of water and any collection or treatment measures.
- B. For each outfall, provide a description of: (1) All operations contributing wastewater to the effluent, including process wastewater, sanitary wastewater, cooling water, and storm water runoff; (2) The average flow contributed by each operation; and (3) The treatment received by the wastewater. Continue on additional sheets if necessary.

1. OUT-	2. OPERATION(S) CON	TRIBUTING FLOW	3. TREATMENT		
FALL NO. (list)	a. OPERATION (list)	b. AVERAGE FLOW (include units)	a. DESCRIPTION	b. LIST CO TABL	DES FROM E 2C-1
001	Waterwashing, sandblasting, Painting	563 GPD (collected)	waterwashing from operations on drydock is collected	4 - A	
	Stormwater, ballast water				
		¥			
				a)	
		<u>1</u>			
	× 1 2 2				
			<u> </u>		
				-	-

OFFICIAL USE ONLY (effluent guidelines sub-categories)

C. Except for storm runoff ✓ YES (com			of the discharges d	escribed in It	tems II-A or B in		sonal?			
				3 FRE	EQUENCY	1		4. FLOW		
	2. 0	PERATION(s)		a. DAYS PER WEEK	b. MONTHS	a. FLOW RA	TE (in mgd)	B. TOT	AL VOLUME y with units)	
1. OUTFALL NUMBER (list)		RIBUTING FLO	N	(specify average)	PER YEAR (specify average)	1. LONG TERM AVERAGE	2. MAXIMUM DAILY	1. LONG TER AVERAGE	2. MAXIN	
001 Waterwa	shing			0.307 days per week	0.526 months per year	0.0005 MGD	0.035MGD	0.0005 MG	D 0.035M	GD 2
III. PRODUCTION										
A. Does an effluent guidel YES (com	ine limitation plete Item III-		by EPA under Se		the Clean Water NO (go to Sec		ır facility?			
	plete Item III-	·C)			NO (go to Sed	ction IV)				
C. If you answered "yes" applicable effluent guid	to Item III-B, leline, and in	ndicate the aff	ected outfalls.			of your level of p	oroduction, exp	pressed in th	e terms and	units used in the
a. QUANTITY PER DAY	b. UNITS	1. AV S OF MEASU	ERAGE DAILY PE		ON, PRODUCT, (specify)	MATERIAL, ET	C.	2. A	FFECTED C (list outfall ni	
IV. IMPROVEMENTS										
A. Are you now required treatment equipment or permit conditions, admi YES (comp	r practices o	r any other er enforcement	vironmental progr	ams which ment compliance	nay affect the dis	scharges describ rs, stipulations,	ed in this appl	ication? This	includes, bu	t is not limited to,
1. IDENTIFICATION OF C		2. AFI	FECTED OUTFAL	LS	3. BRIEF	DESCRIPTION	OF PROJECT	. 4	FINAL COM	IPLIANCE DATE
, tokeement, e		a. NO.	b. SOURCE OF DIS	CHARGE		****		а	REQUIRED	b. PROJECTED
B. OPTIONAL: You may discharges) you now he construction.	ave underwa	ay or which yo	describing any action plan. Indicate w	hether each	program is now	underway or pla	or other envir	onmental prolicate your ac	jects which tual or plann	may affect your ed schedules for

EPA I.D. NUMBER (copy from Item 1 of Form 1)

VAD988166443

CONTINUED FROM PAGE 2

D & C: Can instructions before proposition (
NOTE: Tables V-A, V-B, and V-C are i	Complete one set of tables for each of included on separate sheets number	utfall – Annotate the outfall number in the ed V-1 through V-9.	space provided.
Use the space below to list any of the pollutant from any quitall. For every pollutant you list, bri	nts listed in Table 2c-3 of the instruct	ons, which you know or have reason to b	elieve is discharged or may be discharged data in your possession.
1. POLLUTANT	2. SOURCE	1. POLLUTANT	2. SOURCE
reason to believe that any lluants fisted in Table 22-3 e present and or discharged.			

POTENTIAL DISCHARGES NOT COVERED B			is the Carlo and the American Artificial Carlo
iny pollutant listed in Item V-C a substance or a YES (list all such pollutants below)		O (go to Item VI - B)	nediate of final product of byproduct?


CONTINUED FROM THE FRONT VII. BIOLOGICAL TOXICITY TESTING DATA Do you have any knowledge or reason to believe that any biological test for acute or chronic toxicity has been made on any of your discharges or on a receiving water in relation to your discharge within the last 3 years? YES (identify the test(s) and describe their purposes below) NO (go to Section VIII) All process water from waterwashing is collected. No discharge to surface, subsurface, or groundwater occurs. VIII. CONTRACT ANALYSIS INFORMATION Were any of the analyses reported in Item V performed by a contract laboratory or consulting firm? NO (go to Section IX) YES (list the name, address, and telephone number of, and pollutants analyzed by, each such laboratory or firm below) C. TELEPHONE D. POLLUTANTS ANALYZED B. ADDRESS A. NAME (area code & no.) Universal Laboratories 220 Research Drive Hampton, VA 23666 757-865-0880

IX. CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

A. NAME & OFFICIAL TITLE (type or print)	B. PHONE NO. (area code & no.)
Danterry	757-323-2599
C. SIGNATURE	D. DATE SIGNED
1/200 (m)	CY-29-16
EPA Form 3510-2C (8-90) PAGE 4 of 4	


DD#1 Water flow



Process Water removed from Dry Dock #1

Year	Gallons	Gallons Per day
2011	296,212	812
2012	176,349	483
2013	219,521	601
2014	160,226	439
2015	198,510	544
2016*	39,025	500
	AVG:	563

^{*} As of 3/18/16





Process water (collection)

Stormwater



Please print or type in the unshade	ed areas only.	EPA ID Number (copy fro VAD988166443	m Item 1 of Form 1)		ved. OMB No. 2040- pires 5-31-92.	0086.
PORM SEPA I	Facilities \	Which Do N	ot Dischar	ge Proces	s Wastew	/ater
I. RECEIVING WATERS						
Fort	his outfall, list t	he latitude and long	jitude, and name	e of the receiving	water(s).	
Number (list)	tude lin Sec Deg	Longitude Rece	iving Water (name)			
		15.0(54.0(Eas		Elizabeth Ri	ver	
II. DISCHARGE DATE (If a new	discharger, the da	ate you expect to begin o	discharging)	Ŧ		
III.TYPE OF WASTE	7 N.E					
A. Check the box(es) indicating	the general type(s) of wastes discharged.			Oth an Manna	
☐ Sanitary Wastes ☐	Restaurant or Ca	feteria Wastes	□ Noncontact (Cooling Water	Other Nonpro Wastewater (
Outfall is used for f fighting fires. No ad	ire suppresiditives are	on pumps which dused in the proc	raw water fro	m the Elizabet or discharge	h River for	the means of
IV. EFFLUENT CHARACTERIS	STICS					
A. Existing Sources — Property authority (see instruction B. New Dischargers — Property authority, Instead of the research of the res	s). ovide estimates for	the parameters listed in	the left-hand colum	n below, unless waive	ed by the permittin	
		(1) aximum		2) ge Daily	(3)	(4)
Pollutant or Parameter	Da	ily Value lude units)	Value (la	ast year) le units)	Number of Measurements	Source of Estimate
	Mass	Concentration	Mass	Concentration	Taken (last year)	(if new discharger)
Biochemical Oxygen Demand (BOD)	1.					
Total Suspended Solids (TSS)						
Fecal Coliform (if believed present or if sanitary waste is discharged)					-	
Total Residual Chlorine (if chlorine is used)						
Oil and Grease						
*Chemical oxygen demand (COD)						
*Total organic carbon (TOC)						
Ammonia (as N)			,			
Discharge Flow	Value	9				
pH (give range)	Value					
Temperature (Winter)		°C		°C		
Temperature (Summer)		°C		°C		
*If noncontact cooling water is disch	narged					-

	easonal? ✓ Yes □ No
If yes, briefly describe the frequency of flow and duration.	55
Used only in the case of fire emergency or testing.	
TO BELLEVIA	
VI. TREATMENT SYSTEM (Describe briefly any treatment system(s) used or to be used)	
The fire pump provides emergency fire suppression services to Dr	rydock #1 and the general yard
area.	
VII. OTHER INFORMATION (Optional) Use the space below to expand upon any of the above questions or to bring to the attention of	the reviewer any other information you feel
should be considered in establishing permit limitations. Attach additional sheets, if necessary.	the reviewer any other information you lost
should be considered in establishing permit limitations. Attach additional sheets, if necessary.	
should be considered in establishing permit limitations. Attach additional sheets, if necessary.	
should be considered in establishing permit limitations. Attach additional sheets, if necessary.	
should be considered in establishing permit limitations. Attach additional sheets, if necessary.	
should be considered in establishing permit limitations. Attach additional sheets, if necessary.	
should be considered in establishing permit limitations. Attach additional sheets, if necessary.	
should be considered in establishing permit limitations. Attach additional sheets, if necessary.	
should be considered in establishing permit limitations. Attach additional sheets, if necessary.	
should be considered in establishing permit limitations. Attach additional sheets, if necessary.	CELINED DE DE DE DE LA
should be considered in establishing permit limitations. Attach additional sheets, if necessary.	
should be considered in establishing permit limitations. Attach additional sheets, if necessary.	
should be considered in establishing permit limitations. Attach additional sheets, if necessary.	
should be considered in establishing permit limitations. Attach additional sheets, if necessary.	
should be considered in establishing permit limitations. Attach additional sheets, if necessary. VIII. CERTIFICATION	CELIVED DE Q 2016 RPR 29 2016 Tridewater Regional
VIII. CERTIFICATION I certify under penalty of law that this document and all attachments were prepared under system designed to assure that qualified personnel properly gather and evaluate the information.	r my direction or supervision in accordance with a ion submitted. Based on my inquiry of the person or
VIII. CERTIFICATION I certify under penalty of law that this document and all attachments were prepared under system designed to assure that qualified personnel properly gather and evaluate the informations was a system of those persons who manage the system of those persons directly responsible for gathering the informations.	r my direction or supervision in accordance with a ion submitted. Based on my inquiry of the person or comation, the information submitted is to the best of
VIII. CERTIFICATION I certify under penalty of law that this document and all attachments were prepared under system designed to assure that qualified personnel properly gather and evaluate the information persons who manage the system, or those persons directly responsible for gathering the information were properly gather and evaluate the information persons who manage the system, or those persons directly responsible for gathering the information with the persons who manage the system, or those persons directly responsible for gathering the information with the persons who manage the system, or those persons directly responsible for gathering the information of the person of	r my direction or supervision in accordance with a ion submitted. Based on my inquiry of the person or compation, the information submitted is to the best of
VIII. CERTIFICATION I certify under penalty of law that this document and all attachments were prepared under system designed to assure that qualified personnel properly gather and evaluate the information persons who manage the system, or those persons directly responsible for gathering the information my knowledge and belief, true, accurate, and complete. I am aware that there are significant the possibility of fine and imprisonment for knowing violations.	r my direction or supervision in accordance with a ion submitted. Based on my inquiry of the person or comation, the information submitted is to the best of
VIII. CERTIFICATION I certify under penalty of law that this document and all attachments were prepared under system designed to assure that qualified personnel properly gather and evaluate the information persons who manage the system, or those persons directly responsible for gathering the information were properly and belief, true, accurate, and complete. I am aware that there are significant	r my direction or supervision in accordance with a ion submitted. Based on my inquiry of the person or or or submitted is to the best of penalties for submitting false information, including
VIII. CERTIFICATION I certify under penalty of law that this document and all attachments were prepared under system designed to assure that qualified personnel properly gather and evaluate the information persons who manage the system, or those persons directly responsible for gathering the information who manage the system, and complete. I am aware that there are significant the possibility of fine and imprisonment for knowing violations. A. Name & Official Title	r my direction or supervision in accordance with a ion submitted. Based on my inquiry of the person or or penalties for submitting false information, including B. Phone No. (area code
VIII. CERTIFICATION I certify under penalty of law that this document and all attachments were prepared under system designed to assure that qualified personnel properly gather and evaluate the information persons who manage the system, or those persons directly responsible for gathering the information with the possibility of fine and imprisonment for knowing violations.	r my direction or supervision in accordance with a ion submitted. Based on my inquiry of the person or premation, the information submitted is to the best of penalties for submitting false information, including B. Phone No. (area code & no.)
VIII. CERTIFICATION I certify under penalty of law that this document and all attachments were prepared under system designed to assure that qualified personnel properly gather and evaluate the information persons who manage the system, or those persons directly responsible for gathering the information properly gather and evaluate the information persons who manage the system, or those persons directly responsible for gathering the information persons directly responsible for gathering the information properly gather and evaluate the information persons who manage the system, or those persons directly responsible for gathering the information properly gather and evaluate the information persons who manage the system, or those persons directly responsible for gathering the information personnel properly gather and evaluate the information persons who manage the system of the possibility of fine and imprisonment for knowing violations. A. Name & Official Title Dan Turky Asst. Environmental Manager	r my direction or supervision in accordance with a ion submitted. Based on my inquiry of the person or ormation, the information submitted is to the best of penalties for submitting false information, including B. Phone No. (area code & no.) 757-323: 2599 D. Date Signed
VIII. CERTIFICATION I certify under penalty of law that this document and all attachments were prepared under system designed to assure that qualified personnel properly gather and evaluate the informatic persons who manage the system, or those persons directly responsible for gathering the informatic properly gather and evaluate the informatic persons who manage the system, or those persons directly responsible for gathering the informatic properly gather and evaluate the informatic persons who manage the system, or those persons directly responsible for gathering the informatic properly gather and evaluate the informatic persons who manage the system, or those persons directly responsible for gathering the informatic personnel properly gather and evaluate the informatic persons who manage the system, or those persons directly responsible for gathering the informatic personnel properly gather and evaluate the informatic persons who manage the system, or those persons directly responsible for gathering the informatic personnel properly gather and evaluate the informatic persons who manage the system, or those persons directly responsible for gathering the informatic personnel properly gather and evaluate the informatic persons who manage the system, or those persons directly responsible for gathering the informatic personnel properly gather and evaluate the informatic person	r my direction or supervision in accordance with a ion submitted. Based on my inquiry of the person or ormation, the information submitted is to the best of penalties for submitting false information, including B. Phone No. (area code & no.) 757-323: 2599